

# Author Index

- Arnolds, E. Dynamics of macrofungi in two moist heathlands in Drenthe, The Netherlands, 291
- Bakker, J.P., *see* Quené, E.
- Bik, L., *see* Bobbink, R.
- Blom, C.W.P.M. The realism of models in plant demography, 421
- Blom, C.W.P.M. *see* Van der Sman, A.J.M.
- Bobbink, R., Bik, L. and Willems, J.H. Effects of nitrogen fertilization on vegetation structure and dominance of *Brachypodium pinnatum* (L.) Beauv. in chalk grassland, 231
- Bobbink, R., *see* Roebertsen, H.
- Boesewinkel, F.D. The seed structure and taxonomic relationships of *Hypseocharis Remy*, 111
- Bosch, R., *see* Ietswaart, J.H.
- Bredemeijer, G.M.M. and Burg, H.C.J. Peroxidase in variant cell lines of *Haplopappus gracilis*, 363
- Bregman, R. Forms of seed dispersal in Cactaceae, 395
- Burg, H.C.J., *see* Bredemeijer, G.M.M.
- Cass, D.D., *see* Folsom, M.W.
- Chatterjee, P., *see* Ray, S.
- Ciampolini, F., *see* Cresti, M.
- Cortizo, M., *see* Diaz, T.
- Cresens, E.M., *see* Smets, E.F.
- Cresti, M., Milanesi, C., Tiezzi, A., Ciampolini, F. and Moscatelli, A. Ultrastructure of *Linaria vulgaris* pollen grains, 379
- De Nie, H.W., *see* Jansen, A.E.
- Den Nijs, J.C.M., *see* Roetman, E.
- Den Outer, R.W., *see* Willemse, M.T.M.
- De Vries, B.W.L. and Kuyper, Th.W. Effect of vegetation type on decomposition rates of wood in Drenthe, The Netherlands, 307
- Diaz, T., Iglesias, I., González, A., Segura, A. and Cortizo, M. Effect of several growth regulators and of aetiolation on chestnut lignification, 533
- During, H.J., *see* Van Tooren, B.F.
- Emons, A.M.C. Methods for visualizing cell wall texture, 31
- Engelmoer, M., *see* Grootjans, A.P.
- Ernst, W.H.O. and Van der Ham, N.F. Population structure and rejuvenation potential of *Schoenus nigricans* in coastal wet dune slacks, 451
- Folsom, M.W. and Cass, D.D. The characteristics and fate of the soybean inner nucellus, 387
- Gadella, Th. W.J. Some notes on the origin of polyploidy in *Hieracium pilosella* aggr., 515
- González, E., *see* Diaz, T.
- Grootjans, A.P., Hendriksma, P., Engelmoer, M. and Westhoff, V. Vegetation dynamics in a wet dune slack I: rare species decline on the Waddenisland of Schiermonnikoog in The Netherlands, 265
- Heil, G.W., *see* Roebertsen, H.
- Hendriksma, P., *see* Grootjans, A.P.
- Heyde, N.M. and Rombach, J. Flower induction in Norflurazon-treated *Pharbitis nil*: photo-induction of photo-periodic sensitivity in seedlings grown *in vitro* and daylength sensitivity in partly bleached potted plants, 371
- Ietswaart, J.H., Bosch, R. and Weeda, E.J. Relationship analyses of the flora of the Dutch, German and Danish Wadden Islands, 95
- Iglesias, I., *see* Diaz, T.
- Jansen, A.E. and De Nie, H.W. Relations between mycorrhizas and fruitbodies of mycorrhizal fungi in Douglas fir plantations in The Netherlands, 243
- Keijzer, C.J. and Willemse, M.T.M. Tissue interactions in the developing locule of *Gasteria verrucosa* during microgametogenesis, 475
- Keijzer, C.J. and Willemse, M.T.M. Tissue interactions in the developing locule of *Gasteria verrucosa* during microsporogenesis, 493
- Klis, F.M., *see* Samson, M.R.
- Klis, F.M., *see* Van den Ende, H.
- Kornet, D.J. Conventional and fundamental problems in the delimitation of genera, from a phylogenetic point of view, 527

# Author Index

- Arnolds, E. Dynamics of macrofungi in two moist heathlands in Drenthe, The Netherlands, 291
- Bakker, J.P., *see* Quené, E.
- Bik, L., *see* Bobbink, R.
- Blom, C.W.P.M. The realism of models in plant demography, 421
- Blom, C.W.P.M. *see* Van der Sman, A.J.M.
- Bobbink, R., Bik, L. and Willems, J.H. Effects of nitrogen fertilization on vegetation structure and dominance of *Brachypodium pinnatum* (L.) Beauv. in chalk grassland, 231
- Bobbink, R., *see* Roebertsen, H.
- Boesewinkel, F.D. The seed structure and taxonomic relationships of *Hypseocharis Remy*, 111
- Bosch, R., *see* Ietswaart, J.H.
- Bredemeijer, G.M.M. and Burg, H.C.J. Peroxidase in variant cell lines of *Haplopappus gracilis*, 363
- Bregman, R. Forms of seed dispersal in Cactaceae, 395
- Burg, H.C.J., *see* Bredemeijer, G.M.M.
- Cass, D.D., *see* Folsom, M.W.
- Chatterjee, P., *see* Ray, S.
- Ciampolini, F., *see* Cresti, M.
- Cortizo, M., *see* Diaz, T.
- Cresens, E.M., *see* Smets, E.F.
- Cresti, M., Milanesi, C., Tiezzi, A., Ciampolini, F. and Moscatelli, A. Ultrastructure of *Linaria vulgaris* pollen grains, 379
- De Nie, H.W., *see* Jansen, A.E.
- Den Nijs, J.C.M., *see* Roetman, E.
- Den Outer, R.W., *see* Willemse, M.T.M.
- De Vries, B.W.L. and Kuyper, Th.W. Effect of vegetation type on decomposition rates of wood in Drenthe, The Netherlands, 307
- Diaz, T., Iglesias, I., González, A., Segura, A. and Cortizo, M. Effect of several growth regulators and of aetiolation on chestnut lignification, 533
- During, H.J., *see* Van Tooren, B.F.
- Emons, A.M.C. Methods for visualizing cell wall texture, 31
- Engelmoer, M., *see* Grootjans, A.P.
- Ernst, W.H.O. and Van der Ham, N.F. Population structure and rejuvenation potential of *Schoenus nigricans* in coastal wet dune slacks, 451
- Folsom, M.W. and Cass, D.D. The characteristics and fate of the soybean inner nucellus, 387
- Gadella, Th. W.J. Some notes on the origin of polyploidy in *Hieracium pilosella* aggr., 515
- González, E., *see* Diaz, T.
- Grootjans, A.P., Hendriksma, P., Engelmoer, M. and Westhoff, V. Vegetation dynamics in a wet dune slack I: rare species decline on the Waddenisland of Schiermonnikoog in The Netherlands, 265
- Heil, G.W., *see* Roebertsen, H.
- Hendriksma, P., *see* Grootjans, A.P.
- Heyde, N.M. and Rombach, J. Flower induction in Norflurazon-treated *Pharbitis nil*: photo-induction of photo-periodic sensitivity in seedlings grown *in vitro* and daylength sensitivity in partly bleached potted plants, 371
- Ietswaart, J.H., Bosch, R. and Weeda, E.J. Relationship analyses of the flora of the Dutch, German and Danish Wadden Islands, 95
- Iglesias, I., *see* Diaz, T.
- Jansen, A.E. and De Nie, H.W. Relations between mycorrhizas and fruitbodies of mycorrhizal fungi in Douglas fir plantations in The Netherlands, 243
- Keijzer, C.J. and Willemse, M.T.M. Tissue interactions in the developing locule of *Gasteria verrucosa* during microgametogenesis, 475
- Keijzer, C.J. and Willemse, M.T.M. Tissue interactions in the developing locule of *Gasteria verrucosa* during microsporogenesis, 493
- Klis, F.M., *see* Samson, M.R.
- Klis, F.M., *see* Van den Ende, H.
- Kornet, D.J. Conventional and fundamental problems in the delimitation of genera, from a phylogenetic point of view, 527

- Kouwets, F.A.C. New and noteworthy desmid zygosporos from South-West France, 63
- Kuyper, Th.W., *see* De Vries, B.W.L.
- Kwak, M.M. Pollination ecology and seed-set in the rare annual species *Melampyrum arvense* L. (Scrophulariaceae), 153
- Milanesi, C., *see* Cresti, M.
- Mol, P.C., Vermeulen, C.A. and Wessels, J.G.H. Glucan-glucosaminoglycan linkages in fungal walls, 17
- Moscatelli, A., *see* Cresti, M.
- Musgrave, A., *see* Van den Ende, H.
- Olesen, J.M. Floral biology of the Canarian *Echium wildpretii*: bird-flower or a water resource to desert bees? 509
- Pegtel, D.M., Germination in declining and common herbaceous plant populations co-occurring in an acid peaty heathland, 215
- Pijnacker, L.P. and Schotsman, H.D. Nuclear DNA amounts in European *Callitriche* species (Callitrichaceae), 129
- Quené, E. and Bakker, J.P. Effects of nature management practices on the bryophyte flora of grassland and heathland in Drenthe, The Netherlands, 203
- Ray, S. and Chatterjee, P. Cytotaxonomical study of west Bengal Charophyta: a new chromosome number count of *Nitella stuartii* and its karyotype, 523
- Rhebergen, L.J., Theeuwen, J.P.J.J. and Verkleij, J.A.C. The clonal structure of *Festuca rubra* in adjacent maritime habitats, 467
- Roebertsen, H., Heil, G.W. and Bobbink, R. Digital picture processing: a new method to analyse vegetation structure, 187
- Roetman, E., Den Nijs, J.C.M. and Sterk, A.A. Distribution and habitat range of diploid, sexual dandelions (*Taraxacum* section *Vulgaria*), a Central European flora element in The Netherlands, 81
- Rombach, J., *see* Heyde, N.M.
- Rosén, E. Development and seedling establishment within a *Juniperus communis* stand on Öland, Sweden, 193
- Samson, M.R., Klis, F.M. and Van den Ende, H. Cysteine as a fusion inhibitor in the sexual mating reaction of the green alga *Chlamydomonas eugametos*, 351
- Scheper, E., *see* Sýkora, K.V.
- Schotsman, H.D., *see* Pijnacker, L.P.
- Segura, A., *see* Diaz, T.
- Senn-Irlet, B. Macromycetes in alpine snow-bed communities—mycocoenological investigations, 251
- Sietsma, J.H. and Wessels, J.G.H. Total inhibition of wall synthesis by 2-deoxyglucose and polyoxin D in protoplasts of *Schizophyllum commune*, 23
- Smets, E.F. and Cresens, E.M. Types of floral nectaries and the concepts 'character' and 'character-state'—a reconsideration, 121
- Sterk, A.A., *see* Roetman, E.
- Sýkora, K.V., Scheper, E. and Van Der Zee, F. Inundation and the distribution of plant communities on Dutch river dikes, 279
- Theeuwen, J.P.J.J., *see* Rhebergen, L.J.
- Tiezzi, A., *see* Cresti, M.
- Tinhout, A. and Werger, M.J.A. Fine roots in a dry *Calluna* heathland, 225
- Van Andel, J., Wesselingh, R.A. and Van Donk, H.J. The performance of progeny groups from two populations of *Phyteuma nigrum*, with particular reference to the chance of survival or extinction, 165
- Van den Ende, H., Klis, F.M. and Musgrave, A. The role of flagella in sexual reproduction of *Chlamydomonas eugametos*, 327
- Van den Ende, H., *see* Samson, M.R.
- Van der Ham, N.F., *see* Ernst, W.H.O.
- Van der Knaap, W.O. Age and stability of bird-manured vegetation on Spitsbergen, 171
- Van der Sman, A.J.M., van Tongeren, O.F.R. and Blom, C.W.P.M. Growth and reproduction of *Rumex maritimus* and *Chenopodium rubrum* under different waterlogging regimes, 439
- Van der Zee, F., *see* Sýkora, K.V.
- Van Donk, H.J., *see* Van Andel, J.
- Van Lammeren, A.A.M. Observations on the structural development of immature maize embryos (*Zea mays* L.) during *in vitro* culture in the presence or absence of 2,4-D, 49
- Van Tooren, B.F. and During, H.J. Viable plant diaspores in the guts of earthworms, 181

- Van Tongeren, O.F.R., *see* Van der Sman, A.J.M.
- Verkaar, H.J. Are defoliators beneficial for their host plants in terrestrial ecosystems—a review?, 137
- Verkleij, J.A.C., *see* Rhebergen, L.J.
- Vermeulen, C.A., *see* Mol, P.C.
- Weeda, E.J., *see* Ietswaart, J.H.
- Werger, M.J.A., *see* Tinhout, A.
- Wesselingh, R.A., *see* Van Andel, J.
- Wessels, J.G.H. A steady-state model for apical wall growth in fungi, 3
- Wessels, J.G.H., *see* Mol, P.C.
- Wessels, J.G.H., *see* Sietsma, J.H.
- Westhoff, V., *see* Grootjans, A.P.
- Willems, J.H. Soil seed bank and regeneration of a *Calluna vulgaris* community after forest clearing, 313
- Willems, J.H., *see* Bobbink, R.
- Willemse, M.T.M. and Den Outer, R.W. Stem anatomy and cell wall autofluorescence during growth of three maize (*Zea mays* L.) cultivars, 39
- Willemse, M.T.M., *see* Keijzer, C.J.
- Zeven, A.C. Flower colour of two forms of *Brassica oleracea* in the sixteenth century, 531

## Key-word Index

- Actinotaenium*, 63  
 aetiolation, 533  
 agaricales, 251  
 age distribution, 193  
 agglutination, 327  
 alpine zone, 251  
 anatomy, 39  
 anemochory, 395  
*Antennaria dioica*, 215  
 anther, 475, 493  
 anther dehiscence, 475  
 apical growth, 3  
*Arnica montana*, 215  
*Arrhenatherion*, 279  
 autofluorescence, 39  
  
 bird cliff, 171  
*Brachypodium pinnatum*, 231  
*Brassica oleracea*, 531  
 bryophyte flora, 203  
 bryophytes, 181  
 bumblebees, 153  
  
*Callitriche*, 129  
 callose, 493  
*Calluna vulgaris*, 225, 313  
 callus, 49  
 campylo trophy, 111  
 Canary Isles, 509  
*Castanea* hybrids, 533  
 cell culture, 363  
 cell fusion, 351  
 cellulose microfibril, 31  
 chalk grasslands, 231  
 character, 121  
 character state, 121  
*Chenopodium rubrum*, 439  
 chitin, 3  
*Chlamydomonas*, 351  
 chromosomes, 129  
 clonal structure, 467  
 compensatory (re)growth, 137  
 conservation, 193  
*Cosmarium*, 63  
 crop evolution, 531  
 crop history, 531  
 cytogeography, 81  
 cytoskeleton, 379  
 cytotaxonomy, 523  
  
 2,4-D, 49  
*Dactylorhiza incarnata*, 265  
 decalcification, 265  
 decomposition, 307  
 defoliation, 137, 451  
 DNA amount, 129  
 2-deoxyglucose, 23  
 desmid zygospores, 63  
 diaspore bank, 181  
 differentiation, 467  
 digital picture processing, 187  
 dike vegetation, 279  
 discomycetes, 251  
 dominance, 231  
 dry cleaving, 31  
 dune slack, 265  
  
 earthworms, 181  
*Echium wildpretii*, 509  
 ecology, 421  
 ectomycorrhiza, 243  
 endothecium, 475  
*Epipactis palustris*, 265  
*Equisetum fluviatile*, 31  
 evolutionary theory, 527  
 exotegmen, 111  
  
 fecundity, 165  
 ferns, 181  
*Festuca rubra*, 467  
*Filago minima*, 215  
 fine roots, 225  
 flagellum, 327  
 flora, 95  
 floral nectary types, 121  
 flower colour, 531  
 flower-induction, 371  
 fluctuations, 291  
 freeze-fracturing, 31  
 freeze substitution, 31  
 frequency, 243  
 fruitbody diversity, 243  
 fungal cell wall, 3  
 fungal hypha, 3  
 fungal walls, 17  
 fungi, 243  
  
*Galium saxatile*, 215  
 Geraniaceae, 111  
 germination, 215, 451

- glucan, 17  
 $\beta$ -glucan, 3  
 glucosaminoglycan, 17  
 glycoproteins, 327  
*Glypteryx schoenicolla*, 451  
 grassland, 203  
 green algae, 327  
 growth, 363,439  
  
 habitat range, 81  
*Haplopappus gracilis*, 363  
 heathland regeneration, 313  
 heathlands, 203,291  
 heliocidal cell wall, 31  
 herbivory, 137,451  
 heterotrophic culture, 371  
*Hieracium pilosella* aggr., 515  
 hydrochory, 395  
  
 inundation, 279  
  
 juniper scrub, 193  
*Juniperus communis*, 307  
  
 karyotype, 523  
  
 lignification, 533  
 lignin, 39  
*Linaria vulgaris*, 379  
  
 macrofungi, 291  
 maize, 39  
 megagametogenesis, 387  
 meiosis, 493  
*Melampyrum arvense*, 153  
 Mesobromion, 279  
 models, 421  
 mycocoenology, 251  
 mycofloristic composition, 307  
 mycorrhiza, 243  
  
*Narda stricta*, 215  
 nature management, 203  
 nectar, 153  
 nectar secretion, 509  
 nectaria cauda, 121  
 nectaria persistentia, 121  
*Nitella*, 523  
 nitrogen and phosphorous economy, 231  
 nitrogen concentration, 225  
 nitrogen fertilization, 231  
 norflurazon, 371  
 nucellus, 387  
 nutrition, 387  
  
 ovule, 387  
 Oxalidaceae, 111  
  
 palynology, 171  
 peat formation, 171  
*Pedicularis palustris*, 265  
 periodicity, 291  
 permanent plots, 265  
 peroxidase, 363  
 phenolics, 39  
 phenols, 363  
 phylogeny, 129, 527  
 physiological and morphological responses, 137  
*Phyteuma nigrum*, 165  
 phytochrome action, 371  
 phytohormones, 533  
*Pinus sylvestris*, 307  
 plant demography, 421  
 pollen, 379,475  
 pollen dispersal, 475  
 pollination, 153,509  
 polyoxin D, 23  
 polyploidy, 515  
 population, 467  
 population size, 165  
 protoplasts, 23  
  
 Querceto petraeae-Betuletum, 313  
*Quercus robur*, 307  
  
 regeneration, 193  
 relationship analyses, 95  
 reproduction, 439  
 robbery, 153  
*Rumex maritimus*, 439  
  
*Schizophyllum commune*, 3,23  
*Schoenus nigricans*, 265,451  
 seed anatomy, 111  
 seed bank, 181,313  
 seed morphology, 395  
 seed production, 153  
 sexuality, 327  
 sexual mating, 351  
 short-day photoperiodism, 371  
 shrub expansion, 193  
 size inequality, 165  
 snow-bed communities, 251  
 South-West France, 63  
 soybean, 387  
 stand age, 243  
 structure, 49

succession, 243,291

suspension culture, 49

systematics, 527

tapetum, 475,493

*Taraxacum* section *Vulgaria*, 81

tissue interaction, 475,493

unreduced gametes, 515

validation, 421

vegetation, 95,137,171

vegetation structure, 187,231

*Viola canina*, 215

Wadden Islands, 95

wall growth, 3

wall synthesis, 23

waterlogging, 439

wet dune slacks, 451

Zea, 49

zoochory, 395